



Fire Department
Kevin W. Guimond
Fire Chief

Fire & EMS Response Data June 2014

| | |
|-----------------------------|-----|
| Total Emergency Calls: | 350 |
| Emergency Medical Services: | 231 |
| Fire responses: | 113 |
| Haz Mat / Other: | 6 |
| Total Calls by District: | |
| Squad 4 (mall district) | 101 |
| Engine 5 (cash corner) | 89 |
| Engine 8 (east end) | 133 |

Fire & EMS Response Data Totals 2014

| | |
|------------------------------|------|
| EMS responses | 1401 |
| Fire responses | 638 |
| Other | 41 |
| Total calls for service 2014 | 2080 |



SOUTH PORTLAND FIRE DEPARTMENT TRAINING DIVISION



Fire & Emergency Operations Training

Monthly Report for the Month of June, 2014

Full Time Employee Hours: 469.5

Call Company Employee Hours: 109.5


Fire Training Hours (Department) 276.5

EMS Training Hours (Department) 82.0

Hazmat/Special Ops Training Hrs 220.5

Total Monthly Department Hours: 579.0

Yearly Training Hours to Date: 3969.5



James Wilson
Deputy Chief of Training

Prepared: 7/21/14, 14:58:50

6/01/14 to 6/30/14

Program: FI263L

General information:

| | | | | | |
|-----------------------------------|---------------------|-------------------------|-----------------|--------------|-----------|
| Total number of calls : | Fire - 113 | EMS - 231 | Exposures - 0 | Unknown - 6 | All - 350 |
| Average calls per day : | Fire - 3.76 | EMS - 7.70 | All - 11.66 | | |
| Total number of arson calls . . : | 0 | | | | |
| Estimated dollar loss : | Fire - 19,030 | Other - 0 | All - 19,030 | Arson - 0 | |
| Estimated value : | Fire - 1,122,430 | Other - 0 | All - 1,122,430 | Arson - 0 | |
| Percentage saved : | Fire - 98.30% | Other - .00% | All - 98.30% | Arson - .00% | |
| Total injuries : | Fire service - 0 | Civilian fire - 0 | EMS - 0 | Arson - 0 | |
| Total fatalities : | Fire service - 0 | Civilian fire - 0 | | Arson - 0 | |
| Total apparatus responses . . : | Emergency - 1,392 | Non-emergency - 1 | All - 1,393 | | |
| Average responses per day . . : | Emergency - 46.40 | Non-emergency - .03 | All - 46.43 | | |
| Average apparatus per call . . : | Fire - 4.52 | EMS - 3.65 | All - 3.98 | | |
| Average turnout time : | Emergency - 0:01:22 | Non-emergency - 0:00:37 | All - 0:01:21 | | |
| Average response time : | Emergency - 0:04:33 | Non-emergency - 0:02:28 | All - 0:04:31 | | |
| Average contain time : | Emergency - 0:27:05 | Non-emergency - 0:23:13 | All - 0:26:51 | | |
| Average total time : | Emergency - 0:45:15 | Non-emergency - 0:54:41 | All - 0:45:25 | | |
| Total man hours : | Fire - 228 | EMS - 557 | All - 786 | | |
| Average personnel per call . . : | Fire - 4.54 | EMS - 3.82 | All - 3.99 | | |
| Total aid given calls : | 8 | | | | |
| Total aid received calls . . . : | 7 | | | | |

Total calls by incident group:

| | Count | Average response time | Aid given | Exposures |
|--|-------|-----------------------|-----------|-----------|
| No incident type | 6 | | | |
| 100-173 Fire | 20 | 0:03:34 | 0 | 0 |
| 300-381 Rescue and emergency medical service incidents | 231 | 0:04:43 | 5 | 0 |
| 400-482 Hazardous conditions (no fire) | 15 | 0:05:10 | 1 | 0 |
| 500-571 Service call | 28 | 0:03:20 | 1 | 0 |
| 600-672 Good intent call | 16 | 0:04:34 | 1 | 0 |
| 700-751 and 7009 False alarm and false call | 33 | 0:04:21 | 0 | 0 |
| 900-911 Special incident type | 1 | 0:03:04 | 0 | 0 |

Total calls by incident type:

| | Count | Aid given | Aid received | Exposures |
|--|-------|-----------|--------------|-----------|
| No incident type | 6 | | | |
| 111 Building fire | 1 | 0 | 0 | 0 |
| 112 Fires in structure other than in a building | 1 | 0 | 0 | 0 |
| 113 Cooking fire, confined to container | 1 | 0 | 0 | 0 |
| 131 Passenger vehicle fire | 1 | 0 | 0 | 0 |
| 1431 Mulch Fire | 11 | 0 | 0 | 0 |
| 154 Dumpster or other outside trash receptacle fire | 3 | 0 | 0 | 0 |
| 161 Outside storage fire | 1 | 0 | 0 | 0 |
| 1621 Outside Grill or propane tank fire | 1 | 0 | 0 | 0 |
| 320 Emergency medical service, other | 9 | 0 | 0 | 0 |
| 321 EMS call, excluding vehicle accident with injury | 4 | 0 | 0 | 0 |
| 3211 EMS call, cardiac | 14 | 0 | 0 | 0 |
| 3212 EMS call, respiratory | 15 | 0 | 0 | 0 |
| 3213 EMS call, trauma | 19 | 0 | 1 | 0 |
| 3214 EMS call, general illness/unclassified/behavioral | 125 | 3 | 4 | 0 |
| 3215 EMS call, ETOH | 8 | 1 | 0 | 0 |
| 3216 EMS call, overdose | 3 | 1 | 0 | 0 |
| 3217 EMS call, diabetic | 8 | 0 | 0 | 0 |
| 3218 EMS call, seizures | 3 | 0 | 0 | 0 |
| 3219 EMS call, OB/GYN | 1 | 0 | 0 | 0 |
| 322 Motor vehicle accident w/ injuries | 7 | 0 | 1 | 0 |

Prepared: 7/21/14, 14:58:50

6/01/14 to 6/30/14

Program: FI263L

| Total calls by incident type: | Count | Aid given | Aid received | Exposures |
|--|-------|-----------|--------------|-----------|
| 3220 EMS call, allergy | 4 | 0 | 0 | 0 |
| 3221 EMS call, unattended death | 2 | 0 | 1 | 0 |
| 3222 Medical Alert Alarm | 1 | 0 | 0 | 0 |
| 324 Motor vehicle accident with no injuries | 5 | 0 | 0 | 0 |
| 350 Extrication, rescue, other | 1 | 0 | 0 | 0 |
| 352 Extrication of victim(s) from vehicle | 1 | 0 | 0 | 0 |
| 381 Rescue or EMS standby | 1 | 0 | 0 | 0 |
| 400 Hazardous condition, other | 3 | 0 | 0 | 0 |
| 411 Gasoline or other flammable liquid spill | 2 | 1 | 0 | 0 |
| 412 Gas leak (natural gas or LPG) | 1 | 0 | 0 | 0 |
| 440 Electrical wiring/equipment problem, other | 1 | 0 | 0 | 0 |
| 444 Power line down | 2 | 0 | 0 | 0 |
| 4441 Telephone or Cable Wire Down | 4 | 0 | 0 | 0 |
| 462 Aircraft standby | 2 | 0 | 0 | 0 |
| 500 Service Call, other | 4 | 0 | 0 | 0 |
| 510 Person in distress, other | 1 | 0 | 0 | 0 |
| 5311 Smoke Odor Investigation | 1 | 0 | 0 | 0 |
| 5312 Sewer Gas Odor Investigation | 1 | 0 | 0 | 0 |
| 550 Public service assistance, other | 2 | 0 | 0 | 0 |
| 551 Assist police or other governmental agency | 1 | 0 | 0 | 0 |
| 5518 Check on Wellbeing | 2 | 0 | 0 | 0 |
| 553 Public service | 1 | 0 | 0 | 0 |
| 554 Assist invalid | 7 | 0 | 0 | 0 |
| 561 Unauthorized burning | 2 | 0 | 0 | 0 |
| 571 Cover assignment, standby, moveup | 6 | 1 | 0 | 0 |
| 600 Good intent call, other | 5 | 0 | 0 | 0 |
| 611 Dispatched & canceled en route | 4 | 1 | 0 | 0 |
| 621 Wrong location | 1 | 0 | 0 | 0 |
| 622 No incident found on arrival at dispatch address | 2 | 0 | 0 | 0 |
| 631 Authorized controlled burning | 1 | 0 | 0 | 0 |
| 671 HazMat release investigation w/no HazMat | 3 | 0 | 0 | 0 |
| 700 False alarm or false call, other | 5 | 0 | 0 | 0 |
| 7009 False call, no report | 2 | 0 | 0 | 0 |
| 712 Direct tie to FD, malicious false alarm | 4 | 0 | 0 | 0 |
| 715 Local alarm system, malicious false alarm | 1 | 0 | 0 | 0 |
| 733 Smoke detector activation due to malfunction | 4 | 0 | 0 | 0 |
| 740 Unintentional transmission of alarm, other | 3 | 0 | 0 | 0 |
| 741 Sprinkler activation, no fire - unintentional | 1 | 0 | 0 | 0 |
| 743 Smoke detector activation, no fire - unintentional | 5 | 0 | 0 | 0 |
| 744 Detector activation, no fire - unintentional | 2 | 0 | 0 | 0 |
| 745 Alarm system activation, no fire - unintentional | 6 | 0 | 0 | 0 |
| 900 Special type of incident, other | 1 | 0 | 0 | 0 |

| Total calls by district: | Count | Arson |
|--------------------------|-------|-------|
| No district | 7 | 0 |
| 004 SQUAD 4 DISTRICT | 101 | 0 |
| 005 ENGINE 5 DISTRICT | 89 | 0 |
| 008 ENGINE 8 DISTRICT | 133 | 0 |
| 130 CAPE ELIZABETH EMS | 2 | 0 |
| 131 CAPE ELIZABETH FIRE | 3 | 0 |
| 400 OUT OF DISTRICT FIRE | 1 | 0 |

Prepared: 7/21/14, 14:58:50

6/01/14 to 6/30/14

Program: FI263L

Total calls by district:

| | | Count | Arson |
|-----|---------------|-------|-------|
| 546 | PORTLAND EMS | 7 | 0 |
| 547 | PORTLAND FIRE | 4 | 0 |
| 615 | SCARBORO EMS | 2 | 0 |
| 616 | SCARBORO FIRE | 1 | 0 |

Total calls by shift:

| | | Count |
|-----|---------|-------|
| 001 | SHIFT 1 | 73 |
| 002 | SHIFT 2 | 93 |
| 003 | SHIFT 3 | 99 |
| 004 | SHIFT 4 | 77 |

Apparatus totals:

| Apparatus | Emergency responses | Average per day | Non-emergency responses | Average per day | Total responses | Average per day | Average turnout | Average response |
|-----------|---------------------|-----------------|-------------------------|-----------------|-----------------|-----------------|-----------------|------------------|
| CEC1 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:04 | 0:00:00 |
| CEC2 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:00 | 0:00:00 |
| CEE1 | 6 | .20 | 0 | .00 | 6 | .20 | 0:03:33 | 0:04:14 |
| CEE2 | 4 | .13 | 0 | .00 | 4 | .13 | 0:07:46 | 0:00:00 |
| CFE1 | 2 | .06 | 0 | .00 | 2 | .06 | 0:00:01 | 0:00:00 |
| CEB1 | 4 | .13 | 0 | .00 | 4 | .13 | 0:06:01 | 0:03:25 |
| CER1 | 2 | .06 | 0 | .00 | 2 | .06 | 0:04:38 | 0:06:54 |
| C1 | 10 | .33 | 0 | .00 | 10 | .33 | 0:02:58 | 0:02:52 |
| C2 | 10 | .33 | 0 | .00 | 10 | .33 | 0:00:52 | 0:06:57 |
| C3 | 12 | .40 | 0 | .00 | 12 | .40 | 0:00:16 | 0:04:11 |
| C4 | 11 | .36 | 0 | .00 | 11 | .36 | 0:00:37 | 0:05:18 |
| C9 | 7 | .23 | 0 | .00 | 7 | .23 | 0:00:20 | 0:06:32 |
| E2 | 17 | .56 | 0 | .00 | 17 | .56 | 0:05:38 | 0:08:40 |
| E3 | 21 | .70 | 0 | .00 | 21 | .70 | 0:04:13 | 0:05:03 |
| E5 | 90 | 3.00 | 0 | .00 | 90 | 3.00 | 0:01:12 | 0:05:03 |
| E6 | 23 | .76 | 0 | .00 | 23 | .76 | 0:05:29 | 0:04:50 |
| E8 | 87 | 2.90 | 0 | .00 | 87 | 2.90 | 0:01:26 | 0:04:31 |
| IAR | 302 | 10.06 | 0 | .00 | 302 | 10.06 | 0:00:00 | 0:00:00 |
| OPS10 | 3 | .10 | 0 | .00 | 3 | .10 | 0:00:00 | 0:00:00 |
| OPS2 | 4 | .13 | 0 | .00 | 4 | .13 | 0:00:00 | 0:00:00 |
| OPS3 | 7 | .23 | 0 | .00 | 7 | .23 | 0:00:00 | 0:00:00 |
| OPS4 | 3 | .10 | 0 | .00 | 3 | .10 | 0:00:00 | 0:00:00 |
| OPS5 | 2 | .06 | 0 | .00 | 2 | .06 | 0:00:00 | 0:00:00 |
| OPS6 | 3 | .10 | 0 | .00 | 3 | .10 | 0:00:00 | 0:00:00 |
| OPS7 | 264 | 8.80 | 0 | .00 | 264 | 8.80 | 0:00:00 | 0:00:00 |
| OPS8 | 54 | 1.80 | 0 | .00 | 54 | 1.80 | 0:00:00 | 0:00:00 |
| OPS9 | 6 | .20 | 0 | .00 | 6 | .20 | 0:00:00 | 0:00:00 |
| PFDC1 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:00 | 0:00:00 |
| PFDC2 | 5 | .16 | 0 | .00 | 5 | .16 | 0:00:20 | 0:03:11 |
| PFDE1 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:17 | 0:00:00 |
| PFDE6 | 3 | .10 | 0 | .00 | 3 | .10 | 0:00:19 | 0:07:15 |
| PFDE9 | 1 | .03 | 0 | .00 | 1 | .03 | 0:08:36 | 0:08:39 |
| PFDL3 | 4 | .13 | 0 | .00 | 4 | .13 | 0:00:41 | 0:02:43 |
| PFDL6 | 3 | .10 | 0 | .00 | 3 | .10 | 0:01:06 | 0:03:36 |
| PFDR1 | 3 | .10 | 0 | .00 | 3 | .10 | 0:00:37 | 0:02:20 |
| PFD11 | 2 | .06 | 0 | .00 | 2 | .06 | 0:02:03 | 0:07:15 |
| PMCU3 | 2 | .06 | 0 | .00 | 2 | .06 | 0:00:15 | 0:04:09 |

Apparatus totals:

| Apparatus | Emergency responses | Average per day | Non-emergency responses | Average per day | Total responses | Average per day | Average turnout | Average response |
|------------------|----------------------------|------------------------|--------------------------------|------------------------|------------------------|------------------------|------------------------|-------------------------|
| PMCU4 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:00 | 0:00:00 |
| PMCU5 | 6 | .20 | 0 | .00 | 6 | .20 | 0:01:07 | 0:07:56 |
| PMCU6 | 8 | .26 | 0 | .00 | 8 | .26 | 0:00:37 | 0:09:24 |
| PM2 | 1 | .03 | 0 | .00 | 1 | .03 | 0:12:22 | 0:00:00 |
| R1 | 128 | 4.26 | 1 | .03 | 129 | 4.30 | 0:01:25 | 0:05:19 |
| R2 | 137 | 4.56 | 0 | .00 | 137 | 4.56 | 0:01:26 | 0:05:48 |
| R3 | 3 | .10 | 0 | .00 | 3 | .10 | 0:00:36 | 0:02:31 |
| R4 | 4 | .13 | 0 | .00 | 4 | .13 | 0:00:24 | 0:02:09 |
| SFDE3 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:00 | 0:00:00 |
| SFDR1 | 5 | .16 | 0 | .00 | 5 | .16 | 0:02:20 | 0:05:56 |
| SFDR2 | 1 | .03 | 0 | .00 | 1 | .03 | 0:01:44 | 0:06:38 |
| SQ4 | 99 | 3.30 | 0 | .00 | 99 | 3.30 | 0:01:23 | 0:05:13 |
| ST411 | 1 | .03 | 0 | .00 | 1 | .03 | 0:00:09 | 0:00:10 |
| TK2 | 16 | .53 | 0 | .00 | 16 | .53 | 0:04:54 | 0:04:46 |